

# URBC 2020 - Towards Best Practices in Developing Coastal Flood Scenarios for Adaptation and Risk Reduction -

# Capital Region Coastal Flood Modelling & Mapping Project

November 17, 2020

N. Elliott, CRD and T. Patterson, City of Victoria



#### **Regional Coordination**





#### **Project Overview**



- 1. Digital Elevation Model Development
- 2. Sea Level Rise Modelling and Mapping Report
- 3. Tsunami Modelling and Mapping Report







#### **Project Overview**




- Provide information on the future hazards associated with coastal flooding related to sea level rise and tsunamis.
- Inform current and future flood policy and planning activities.



#### **Selection of Scenarios - SLR**



- Amendment to Section 3.5 and 3.6
   Provincial Flood Hazard Area Land Use Management Guidelines & various guidelines
- Probabilistic method
- 4 RSLR scenarios
  - -0 m
  - $-0.5 \, \mathrm{m}$
  - $-1.0 \, \text{m}$
  - $-2.0 \, \text{m}$
- Five annual exceedance probabilities
  - 10%, 5%, 2%, 1%, 0.5%




1 m SLR AEP 0.5% (200 year), Victoria Harbour/Gorge Waterway

## **Selection of Scenarios - Tsunami**

Seismic Tsunami Source Scenarios





Tsunami Model Validation

- → 11 tsunami scenarios
- → Entire region modelled to 30m cell resolution (1arcsecond)
- → Five areas were selected for detailed inundation model modeling, resolution of 4 m.

### **Selection of Scenarios - Tsunami**



Source	Abbrv.	Magnitude	Probability	Comment
Cascadia Subduction Zone, CSZ L1	CSZ-L1	9.1-9.2	2500-yr return period	Worst-case earthquake scenario (L1)
Cascadia Subduction Zone, CSZ Northern Segment	CSZ-NS	8.5-9.0	500-600 yr return period	Rupture of northern segment
Cascadia Subduction Zone, CSZ Central Segment	CSZ-CS	8.5	500-600 yr return period	Rupture of central segment (southern Washington, northern Oregon), identified by Wang et al., 2013
Devil's Mountain Island fault Mw 7.5.	DM1	7.5	2000-yr return period	Worst-case earthquake – Long transpressive rupture (>50 km)
Devil's Mountain Island fault Mw 6.5	DM2	6.5	<2000-yr return period	Middle length transpressive rupture (<50 km)
Southern Whidbey Island fault Mw 7.5	SW1	7.5	2000-yr return period	Worst-case earthquake – Long transpressive rupture (>50 km)
Southern Whidbey Island fault Mw 6.5	SW2	6.5	<2000-yr return period	Shorter transpressive rupture (<50 km)
Alaskan 1964	AL	9.2	500-1000 yr	Same as 1964 earthquake
Aleutian Trench	UN	8.6	unknown	1946 Aleutian Trench earthquake, off Unimak Island
Haida Gwaii	HG1			2012 earthquake
South of Haida Gwaii	HG2			Hypothetical event spanning region between Haida Gwaii failure and Nootka fault

#### **More Information**



#### www.crd.bc.ca/coastalflood

Nikki Elliott

Supervisor, Climate Action Program

Capital Regional District

nelliott@crd.bc.ca

Olympia Koziatek

Deputy Emergency Program Coordinator

City of Victoria

okoziatek@victoria.ca